


Worldwide numbers represent medical diagnoses of TBI that occurred anywhere U.S. forces are located including the continental United States since 2000.

Concussion/Mild TBI is characterized by the following: A confused or disoriented state which lasts less than 24 hours; loss of consciousness for up to 30 minutes; memory loss lasting less than 24 hours; and structural brain imaging (MRI or CT scan) yielding normal results.

Moderate TBI is characterized by the following: A confused or disoriented state which lasts more than 24 hours; loss of consciousness for more than 30 minutes, but less than 24 hours; memory loss lasting greater than 24 hours but less than seven days; and structural brain imaging yielding normal or abnormal results.

Severe TBI is characterized by the following: A confused or disoriented state which lasts more than 24 hours; loss of consciousness for more than 24 hours; memory loss for more than seven days; and structural brain imaging yielding normal or abnormal results.


Penetrating TBI, or open head injury, is characterized by the following: A head injury in which the dura mater, the outer layer of the meninges, is penetrated. Penetrating injuries can be caused by high-velocity projectiles or objects of lower velocity such as knives, or bone fragments from a skull fracture that are driven into the brain.



Service	Component	Severity	Diagnosed
Army	Active	Penetrating	95
		Severe	60
		Moderate	391
		Mild	3,128
		Not Classifiable	191
	Guard	Penetrating	26
		Severe	14
		Moderate	104
		Mild	839
		Not Classifiable	53
	Reserve	Penetrating	10
		Severe	3
		Moderate	71
		Mild	481
		Not Classifiable	41

Source: Defense Medical Surveillance System (DMSS),


Theater Medical Data Store (TMDS) provided by the Armed Forces Health Surveillance Center (AFHSC)



Service	Component	Severity	Diagnosed
Navy	Active	Penetrating	53
		Severe	35
		Moderate	307
		Mild	1,951
		Not Classifiable	201
	Reserve	Penetrating	2
		Severe	1
		Moderate	33
		Mild	142
		Not Classifiable	10

Source: Defense Medical Surveillance System (DMSS),


Theater Medical Data Store (TMDS) provided by the Armed Forces Health Surveillance Center (AFHSC)



Service	Component	Severity	Diagnosed
Air Force	Active	Penetrating	42
		Severe	33
		Moderate	226
		Mild	1,930
		Not Classifiable	63
	Guard	Penetrating	1
		Severe	2
		Moderate	19
		Mild	184
		Not Classifiable	6
	Reserve	Penetrating	1
		Severe	2
		Moderate	9
		Mild	100
		Not Classifiable	7

Source: Defense Medical Surveillance System (DMSS),

Theater Medical Data Store (TMDS) provided by the Armed Forces Health Surveillance Center (AFHSC)



Service	Component	Severity	Diagnosed
Marines	Active	Penetrating	43
		Severe	18
		Moderate	248
		Mild	1,372
		Not Classifiable	67
	Reserve	Penetrating	10
		Severe	5
		Moderate	27
		Mild	145
		Not Classifiable	13

Source: Defense Medical Surveillance System (DMSS),

Theater Medical Data Store (TMDS) provided by the Armed Forces Health Surveillance Center (AFHSC)